

Mapping Bibliography

Search Keyed to 30X60' Quad: Beaver

Friday, November 09, 2001

Ref#

2581Adhidjaja, J.I., 1981, Study of major geologic structures indicated by gravity data in the Richfield one-degree by two-degree quadrangle, Utah, Salt Lake City, University of Utah M.S. thesis . Scale: 250000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

779Amin, S.R., 1950, Heavy mineral study of the intrusive rocks of the Antelope Range, Piute County, Utah, Salt Lake City, University of Utah M.S. thesis 40 p.. Scale: 21120

Latitude N: 383030 S: 382630 Longitude W: 1121400 E: 1121130

802Anderson, J.J., 1965, Geology of northern Markagunt Plateau, Utah, Austin, University of Texas Ph.D. dissertation 194 p.. Scale: 63360

Latitude N: 380500 S: 375230 Longitude W: 1124500 E: 1122100

1399Anderson, J.J., 1971, Geology of the southwestern high plateaus of Utah; Bear Valley Formation, an Oligocene-Miocene volcanic arenite, Geological Society of America Bulletin v. 82, p. 1179-1205, fig. 2. Scale: 135000

Latitude N: 380330 S: 374200 Longitude W: 1124500 E: 1122100

2180Anderson, J.J., 1985, Geologic map of the Circleville Mountain quadrangle, Beaver, Piute, Iron, and Garfield Counties, Utah Geological and Mineralogical Survey Open-File Report 64. Scale: 24000

Latitude N: 381500 S: 380730 Longitude W: 1123000 E: 1122230

1154Anderson, J.J., 1986, Circleville Mountain quadrangle, Beaver, Piute, Iron, and Garfield Counties, Utah, Utah Geological and Mineral Survey Map 80. Scale: 24000

Latitude N: 381500 S: 380730 Longitude W: 1123000 E: 1122230

2499Anderson, J.J., 1986, Geologic map of the Circleville Mountain quadrangle, Beaver, Piute, Iron, and Garfield Counties, Utah, Utah Geological and Mineral Survey Map 80, 6 p.. Scale: 24000

Latitude N: 381500 S: 380730 Longitude W: 1123000 E: 1122230

2182Anderson, J.J.; Grant, T.C., 1984, Geologic map of the Fremont Pass quadrangle, Iron and Garfield Counties, Utah, Utah Geological and Mineral Survey Open-File Report 66. Scale: 24000

Latitude N: 380730 S: 380000 Longitude W: 1123000 E: 1122230

870Anderson, J.J.; Grant, T.C., 1986, Geologic map of the Fremont Pass quadrangle, Iron and Garfield Counties, Utah, Utah Geological and Mineral Survey Map 81 p.. Scale: 24000

Latitude N: 380730 S: 380000 Longitude W: 1123000 E: 1122230

1073Anderson, J.J.; Lanigan, J.C.; Cunningham, C.G.; Naeser, C.W., 1981, Geologic map of the Beaver SE [Black Ridge] quadrangle, Beaver County, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1274. Scale: 24000

Latitude N: 382230 S: 381500 Longitude W: 1123730 E: 1123000

2183Anderson, J.J.; Rowley, P.D.; Blackman, J.T., 1984, Geologic map of the Circleville quadrangle, Beaver, Piute, and Garfield Counties, Utah, Utah Geological and Mineral Survey Open-File Report 67. Scale: 24000

Latitude N: 381500 S: 380730 Longitude W: 1122230 E: 1121500

Ref#

1185Anderson, J.J.; Rowley, P.D.; Blackman, J.T., 1986, Geologic map of the Circleville quadrangle, Beaver, Piute, and Garfield Counties, Utah, Utah Geological and Mineral Survey Map 82, 5 p.. Scale: 24000

Latitude N: 381500 S: 380730 Longitude W: 1122230 E: 1121500

1622Anderson, J.J.; Rowley, P.D.; Blackman, J.T.; Mehnert H.H.; Grant, T.C., 1990, Geologic map of the Circleville Canyon area, southern Tushar Mountains and northern Markagunt Plateau, Beaver, Garfield, Iron, and Piute Counties, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-2000. Scale: 50000

Latitude N: 381500 S: 380000 Longitude W: 1123000 E: 1121500

1986Anderson, J.J.; Rowley, P.D.; Machette, S.H.; Decatur, S.H.; Mehnert, H.H., 1990, Geologic map of the Nevershine Hollow area, eastern Black Mountains, southern Tushar Mountains, and northern Markagunt Plateau, Beaver and Iron Counties, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1999. Scale: 50000

Latitude N: 381500 S: 380000 Longitude W: 1124500 E: 1123000

1072Anderson, J.J.; Sigmund, J.M.; Cunningham, C.G.; Steven, T.A.; Lanigan, J.C.; Rowley, P.D., 1980, Geologic map of the Delano Peak SW [Shelly Baldy Peak] quadrangle, Beaver County, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1255. Scale: 24000

Latitude N: 382230 S: 381500 Longitude W: 1123000 E: 1122230

1890Bamford, R.W., 1982, in Narasimhan, T.N., editor, Recent trends in hydrogeology Generalized geology of the Roosevelt Hot Springs KGRA and vicinity, Beaver and Millard Counties, Utah, Geological Society of America Special Paper 189, p. 375-386, fig. 4. Scale: 150000

Latitude N: 383750 S: 382345 Longitude W: 1125605 E: 1124710

1505Bedinger, M.S.; Sargent, K.A.; Langer, W.H., 1984, Studies of geology and hydrology in the Basin and Range province, southwestern United States, for isolation of high-level radioactive waste, U.S. Geological Survey Open-File Report OF 84-744, 139 p.. Scale: 500000

Latitude N: 410000 S: 380000 Longitude W: 1143000 E: 1123000

1238Blackman, J.T., 1985, Geology of a vent of the Mount Dutton Formation (Miocene), southwest Tushar Mountains, Utah, Kent, Ohio, Kent State University M.S. thesis . Scale: 24000

Latitude N: 381430 S: 381030 Longitude W: 1121730 E: 1122030

762Brophy, G.P., 1954, Hydrothermal alteration and uranium mineralization in the Silica Hills area, Marysvale district, Utah, New York, New York, Columbia University Ph.D. dissertation 204 p.. Scale: 12000

Latitude N: 383300 S: 382700 Longitude W: 1121700 E: 1120900

1527Budding, K.E.; Cunningham, C.G.; Zielinski, R.A.; Steven, T.A.; Stern, C.R., 1987, Petrology and chemistry of the Joe Lott Tuff Member of the Mount Belknap Volcanics, Marysvale volcanic field, west-central Utah, U.S. Geological Survey Professional Paper 1354, 47 p., fig. 2. Scale: 96000

Latitude N: 383130 S: 382115 Longitude W: 1123230 E: 1122315

1790Callaghan, Eugene, 1950, Geologic map of Marysvale and vicinity, Utah, U.S. Geological Survey Open-File Report OF 50-17. Scale: 31680

Latitude N: 383000 S: 381500 Longitude W: 1121500 E: 1120000

1355Callaghan, Eugene, 1973, Geologic map of the Marysvale region, Piute County and parts of adjoining counties, Utah Geological and Mineralogical Survey Bulletin 102, 135 p., pl. 1. Scale: 125000

Latitude N: 384000 S: 380330 Longitude W: 1124030 E: 1114800

Page 2 of 13

Ref#

1857Callaghan, Eugene, 1973, Geologic map of the Marysvale region, Piute County and parts of adjoining counties, Utah, Utah Geological and Mineral Survey Map 34. Scale: 125000

Latitude N: 383730 S: 380500 Longitude W: 1123900 E: 1114900

67Callaghan, Eugene; Parker, R.L., 1961, Geologic map of part of the Beaver quadrangle, Utah, U.S. Geological Survey Mineral Investigations Field Studies Map MF-202. Scale: 62500

Latitude N: 383000 S: 381900 Longitude W: 1123800 E: 1123000

58Callaghan, Eugene; Parker, R.L., 1962, Geology of the Delano Peak quadrangle, Utah, U.S. Geological Survey Geologic Quadrangle Map GQ-153. Scale: 62500

Latitude N: 383000 S: 381500 Longitude W: 1123000 E: 1121500

2534Campbell, D.L.; Cunningham, C.G.; Steven, T.A.; Rowley P.D.; Glassgold, L.B.; Anderson, J.J., 1984, Aeromagnetic map on a geologic base map of the Tushar Mountains and adjoining areas, Marysvale volcanic field, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1430-D. Scale: 50000

Latitude N: 384230 S: 381500 Longitude W: 1123730 E: 1120000

826Carmony, J.B., 1977, Stratigraphy and geochemistry of the Mount Belknap series, Tushar Mountains, Utah, University Park, Pennsylvania State University M.S. thesis . Scale: 200000

Latitude N: 384700 S: 381900 Longitude W: 1123500 E: 1121000

1832Carpenter, C.H.; Robinson, G.B., Jr.; Bjorklund, L.J., 1967, Ground-water conditions and geologic reconnaissance of the upper Sevier River basin, Utah, U.S. Geological Survey Water Supply Paper W-1836, 91 p., pl. 1. Scale: 250000

Latitude N: 384600 S: 372300 Longitude W: 1125400 E: 1114300

977Clark, E.E., 1977, Late Cenozoic volcanic and tectonic activity along the eastern margin of the Great Basin, in the proximity of Cove Fort, Utah, Brigham Young University Geology Studies v. 24, pt. 1, p. 87-114, fig. 8. Scale: 125000

Latitude N: 385230 S: 381800 Longitude W: 1130000 E: 1123000

978Clark, E.E., 1977, Late Cenozoic volcanic and tectonic activity along the eastern margin of the Great Basin, in the proximity of Cove Fort, Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 125000

Latitude N: 385230 S: 381800 Longitude W: 1130000 E: 1123000

672Condie, K.C., 1960, Petrogenesis of the Mineral Range pluton, southwestern Utah, Salt Lake City, University of Utah M.S. thesis 106 p.. Scale: 47000

Latitude N: 383600 S: 381200 Longitude W: 1125800 E: 1124500

2577Cook, K.L.; Adhidjaja, J.I.; Gabbert, S.C., 1981, Complete Bouguer gravity anomaly and generalized geology map of Richfield 1x2 degree quadrangle, Utah, Utah Geological Survey Map 59. Scale: 250000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

2535Cook, K.L.; Halliday, M.E.; Cunningham, C.G.; Steven, T.A.; Rowley, P.D.; Glassgold L.B.; Anderson, J.J.; Coles, L.L., 1984, Complete Bouguer gravity anomaly map on a geologic base map of the Tushar Mountains and adjoining areas, Marysvale volcanic field, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1430-C. Scale: 50000

Latitude N: 384230 S: 381500 Longitude W: 1123730 E: 1120000

Page 3 of 13

Ref#

450Cunningham, C.G.; Anderson, J.J.; Steven, T.A., 1979, Geologic map of the Delano Peak SE [Delano Peak] quadrangle, west-central Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1139. Scale: 24000

Latitude N: 382230 S: 381500 Longitude W: 1122230 E: 1121500

441Cunningham, C.G.; Steven, T.A., 1978, Geologic map of the Delano Peak NW [Mount Belknap] quadrangle, west-central Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-967. Scale: 24000

Latitude N: 383000 S: 382230 Longitude W: 1123000 E: 1122230

463Cunningham, C.G.; Steven, T.A., 1979, Geologic map of the Deer Trail Mountain-Alunite Ridge mining area, west-central Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1230. Scale: 24000

Latitude N: 382600 S: 381900 Longitude W: 1122500 E: 1121500

443Cunningham, C.G.; Steven, T.A., 1979, Geologic map of the Delano Peak NE [Mount Brigham] quadrangle, west-central Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1105. Scale: 24000

Latitude N: 383000 S: 382230 Longitude W: 1122230 E: 1121500

444Cunningham, C.G.; Steven, T.A., 1979, Geologic map of the Marysvale NW [Marysvale] quadrangle, west-central Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1106. Scale: 24000

Latitude N: 383000 S: 382230 Longitude W: 1121500 E: 1120730

1863Cunningham, C.G.; Steven, T.A., 1979, Mount Belknap and Red Hill calderas and associated rocks, Marysvale volcanic field, west-central Utah, U.S. Geological Survey Bulletin 1468, 34 p., fig. 4. Scale: 150000

Latitude N: 383145 S: 382200 Longitude W: 1123215 E: 1122235

1037Cunningham, C.G.; Steven, T.A., 1979, Uranium in the central mining area, Marysvale district, west-central Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1177, pl. 1. Scale: 24000

Latitude N: 383100 S: 382700 Longitude W: 1121500 E: 1121000

459Cunningham, C.G.; Steven, T.A., 1980, Geologic map of the Beaver NE [Pole Mountain] quadrangle, west-central Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1191. Scale: 24000

Latitude N: 383000 S: 382230 Longitude W: 1123730 E: 1123000

1856Cunningham, C.G.; Steven, T.A.; Campbell, D.L.; Naeser, C.W.; Pitkin, J.A.; Duval, J.S., 1984, Multiple episodes of igneous activity, mineralization, and alteration in the western Tushar Mountains, Utah [geologic map of the western Tushar Mountains, Utah], U.S. Geological Survey Professional Paper 1299-A, 33 p., fig. 2. Scale: 55000

Latitude N: 382720 S: 382115 Longitude W: 1123545 E: 1123000

562Cunningham, C.G.; Steven, T.A.; Rowley, P.D.; Glassgold, L.B.; Anderson, J.J., 1981, Preliminary geologic map including argillic and advanced argillic alteration and principal hydrothermal quartz and alunite veins in the Tushar Mountains and adjoining area, Marysvale volcanic field, Utah, U.S. Geological Survey Open-File Report OF 81-831, 19 p.. Scale: 50000

Latitude N: 384230 S: 381500 Longitude W: 1123730 E: 1120000

Page 4 of 13

Ref#

559Cunningham, C.G.; Steven, T.A.; Rowley, P.D.; Glassgold, L.B.; Anderson, J.J., 1983, Geologic map of the Tushar Mountains and adjoining areas, Marysvale volcanic field, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1430-A. Scale: 50000

Latitude N: 384230 S: 381500 Longitude W: 1123730 E: 1120000

2536Cunningham, C.G.; Steven, T.A.; Rowley, P.D.; Glassgold, L.B.; Anderson, J.J., 1984, Map of argillic and advanced argillic alteration and principal hydrothermal quartz and alunite veins in the Tushar Mountains and adjoining areas, Marysvale volcanic field, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1430-B. Scale: 50000

Latitude N: 384230 S: 381500 Longitude W: 1123730 E: 1120000

2575Currey, D.R.; Atwood, G.; Mabey, D.R., 1984, Major levels of Great Salt Lake and Lake Bonneville, Utah Geological and Mineral Survey Map 73. Scale: 750000

Latitude N: 421500 S: 380000 Longitude W: 1141000 E: 1115000

763Dahl, H.M., 1954, Alteration in the central uranium area, Marysvale, Utah, New York, New York, Columbia University Ph.D. dissertation 151 p.. Scale: 12000

Latitude N: 383300 S: 382700 Longitude W: 1121700 E: 1120900

915Decatur, S.H., 1979, The geology of southeastern Beaver County, Utah, Kent, Ohio, Kent State University M.S. thesis 40 p.. Scale: 15840

Latitude N: 381500 S: 380900 Longitude W: 1124000 E: 1123000

1345Doelling, H.H., 1975, Geology and mineral resources of Garfield County, Utah, Utah Geological and Mineral Survey

Bulletin 107, 175 p., pl. 1. Scale: 250000

Latitude N: 380900 S: 372700 Longitude W: 1124030 E: 1095500

1550Doelling, H.H.; Wray, W.B.; Jr.; Byrd, W.D., II, 1964, Geology of part of the Spry Stock, northwestern Garfield County, Utah, Utah Geological and Mineralogical Survey unpublished map . Scale: 21120

Latitude N: 380630 S: 380000 Longitude W: 1122630 E: 1123000

1342Eardley, A.J.; Cohenour, R.E., 1963, Coal resources of the Antimony-Johns Valley area, Garfield County, Utah, Utah Geological and Mineralogical Survey Report to the Utah State Land Board 15 p.. Scale: 125000

Latitude N: 380830 S: 374630 Longitude W: 1121500 E: 1115100

671Earll, F.N., 1957, Geology of the central Mineral Range, Beaver County, Utah, Salt Lake City, University of Utah Ph.D. dissertation 112 p.. Scale: 24000
Latitude N: 383000 S: 381200 Longitude W: 1130000 E: 1124500

1007Evans, M.T., 1951, Geology and ore deposits of the Great Western mine, Marysvale region, Utah, Provo, Utah, Brigham Young University M.S. thesis 46 p.. Scale: 2400
Latitude N: 382440 S: 382437 Longitude W: 1122022 E: 1122020

1077Evans, S.H., Jr., 1977, Geologic map of the central and northern Mineral Mountains, Utah, Salt Lake City, University of Utah, Dept. of Geology and Geophysics Report v. 77-7, ERDA contract EY-76-S-07-1601.
Scale: 24000

Latitude N: 384025 S: 382025 Longitude W: 1125500 E: 1124350

1148Evans, S.H., Jr.; Steven, T.A., 1982, Rhyolites in the Gillies Hill-Woodtick area, Beaver County, Utah, Geological Society of America Bulletin v. 93, p. 1131-1141, fig. 2. Scale: 50000

Latitude N: 383200 S: 382545 Longitude W: 1124230 E: 1123730

Page 5 of 13

Ref#

2542Finch, W.I. (Compiler), 1955, Preliminary geologic map showing the distribution of uranium deposits and principal ore-bearing formations of the Colorado Plateau region, U.S. Geological Survey Mineral Investigations Field Studies Map MF 16. Scale: 500000

Latitude N: 403000 S: 341500 Longitude W: 1134500 E: 1070000

798Grant, T.C., 1979, Geology of the Spry intrusion, Garfield County, Utah, Kent, Ohio, Kent State University M.S. thesis 59 p.. Scale: 24000

Latitude N: 380600 S: 380000 Longitude W: 1122500 E: 1121700

1095Grant, T.C.; Anderson, J.J., 1979, Geology of the Spry intrusion, Garfield County, Utah, Utah Geological and Mineral Survey Utah Geology v. 6, no. 2, p. 5-24, fig. 3. Scale: 53000

Latitude N: 380600 S: 375930 Longitude W: 1122515 E: 1121830

2559Grauch, V.J.S.; Plesha, J.L., 1989, Aeromagnetic maps of the Uinta and Piceance Basins and vicinity, Utah and Colorado, U.S. Geological Survey Miscellaneous Field Studies Map MF-2008-C, 2 sheets. Scale: 500000

Latitude N: 410000 S: 380000 Longitude W: 1130000 E: 1063500

764Green, Jack, 1954, The Marysvale Canyon area, Marysvale, (Piute County) Utah, New York, New York, Columbia University Ph.D. dissertation 214 p.. Scale: 12000

Latitude N: 383300 S: 382700 Longitude W: 1121700 E: 1120900

1265Gruner, J.W.; Fetzer, W.G.; Rapaport, Irving, 1951, The uranium deposits near Marysvale, Piute County, Utah, Economic Geology v. 46, p. 243-251, fig. 3. Scale: 11000

Latitude N: 383000 S: 382930 Longitude W: 1121230 E: 1121200

2540Harris, A.G.; Wardlaw, B.R.; Rust, C.C., Merrill, G.K., 1980, Maps for assessing thermal maturity (conodont color alteration index maps) in Ordovician through Triassic rocks in Nevada and Utah and adjacent parts of Idaho and California, U.S. Geological Survey Miscellaneous Investigations Series Map I-1249, 2 sheets. Scale: 2500000

Latitude N: 440000 S: 340000 Longitude W: 1200000 E: 1080000

1054Haugh, Galen, 1978, A preliminary geologic map of the Wildcat Creek area, eastern Beaver County, Utah, Utah Geological and Mineral Survey Utah Geology v. 5, no. 1, p. 33-35. Scale: 113000

Latitude N: 383330 S: 381930 Longitude W: 1124530 E: 1123530

1356Hintze, L.F., 1960, Preliminary geologic map of the Richfield, Utah 1 θ x 2 θ quadrangle, Brigham Young University unpublished map . Scale: 250000
Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

842Hintze, L.F., 1963, Geologic map of Utah (southwest quarter), Utah Geological and Mineralogical Survey Report to the Utah State Land Board . Scale: 250000
Latitude N: 392230 S: 370000 Longitude W: 1140300 E: 1113730

1430Hintze, L.F., 1963, in Heylmun, E.B., editor, Guidebook to the geology of southwestern Utah - Transition between Basin-Range and Colorado Plateau provinces Geologic map of southwestern Utah [special guidebook edition], Intermountain Association of Petroleum Geologists Guidebook Twelfth Annual Field Conference, 232 p..
Scale: 250000

Latitude N: 393000 S: 370000 Longitude W: 1140200 E: 1113500

827Hintze, L.F.; compiler, 1980, Geologic map of Utah, Utah Geological and Mineral Survey Map [Geologic Map of Utah] A-1. Scale: 500000

Latitude N: 420000 S: 370000 Longitude W: 1140300 E: 1090300

Page 6 of 13

Ref#

2477Hintze, L.F.; Willis, G.C.; Laes, D.Y.M.; Sprinkel, D.A.; Brown, K.D., 2000, Digital Geologic Map of Utah, Utah Geological Survey Map 179DM. Scale: 500000
Latitude N: 420000 S: 370000 Longitude W: 1140400 E: 1090000

1922Hobbs, S.W., 1945, Tungsten deposits in Beaver County, Utah, U.S. Geological Survey Bulletin 945-D, 81-111, pl. 32. Scale: 125000
Latitude N: 383200 S: 381245 Longitude W: 1132100 E: 1124130

1924Hobbs, S.W., 1945, in Tungsten deposits in Beaver County, Utah Geologic Map of the Strategic Metals Mine, Beaver County, Utah, U.S. Geological Survey Bulletin 945-D, p. 81-111, pl. 40. Scale: 1200
Latitude N: 381820 S: 381810 Longitude W: 1124930 E: 1124915

2438Johnson, W.D., 1984, Map showing outcrops of thick, dominately argillaceous sedimentary and metasedimentary rocks, Basin and Range Province, Utah, U.S. Geological Survey Water Resources Investigations Report WRI-83-4122-E.
Scale: 500000

Latitude N: 420000 S: 370000 Longitude W: 1140000 E: 1120000

1817Kennedy, R.R., 1960, Geology between Pine (Bullion) Creek and Tenmile Creek, eastern Tushar Range, Piute County, Utah, Brigham Young University Resource Studies, Geology Series v. 7, no. 4, 58 p.. Scale: 35000

Latitude N: 382730 S: 381900 Longitude W: 1122250 E: 1121045

933Kennedy, R.R., 1960, Geology between Pine (Bullion) Creek and Tenmile Creek, eastern Tushar Range, Piute County, Utah, Provo, Utah, Brigham Young University M.S. thesis 58 p.. Scale: 35000

Latitude N: 382900 S: 381900 Longitude W: 1122230 E: 1120730

768Kennedy, R.R., 1963, Geology of Piute County, Utah, Tucson, University of Arizona Ph.D. dissertation 282 p..
Scale: 63360

Latitude N: 383030 S: 380900 Longitude W: 1123100 E: 1114600

882Kerr, P.F.; Brophy, G.P.; Dahl, H.M.; Green, Jack; Woolard, L.E., 1957, Marysvale, Utah, uranium area - geology, volcanic relations, and hydrothermal alteration, Geological Society of America Special Paper 64, 212 p., pl. 12.
Scale: 12000

Latitude N: 383300 S: 382700 Longitude W: 1121730 E: 1120900

935Lanigan, J.C., Jr., 1980, Geology of the Beaver River Canyon area, Beaver County, Utah, Kent, Ohio, Kent State University M.S. thesis . Scale: 48000

Latitude N: 381830 S: 381430 Longitude W: 1123730 E: 1122830

1717Loughlin, G.F., 1916, Alunite developments near Marysvale and Beaver, Utah, U.S. Geological Survey Bulletin 620, p. 237-270. Scale: 9000

Latitude N: 382315 S: 382105 Longitude W: 1122037 E: 1121755

2530Ludeke, R.G.; Smith, R.L., 1978, Map showing distribution, composition, and age of late Cenozoic volcanic centers in Colorado, Utah, and southwestern Wyoming, U.S. Geological Survey Miscellaneous Investigations Series Map I-1901-B. Scale: 1000000

Latitude N: 420000 S: 370000 Longitude W: 1140000 E: 1020000

2241Luedke, R.G., 1993, Map showing distribution, composition, and age of early and middle Cenozoic volcanic centers in Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-2291-B, inset B. Scale: 500000

Latitude N: 384600 S: 380800 Longitude W: 1123730 E: 1115230

Page 7 of 13

Ref#

489Machette, M.N., 1983, Geologic map of the southwest-quarter of the Beaver [Beaver] quadrangle, Beaver County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1444. Scale: 24000

Latitude N: 382230 S: 381500 Longitude W: 1124500 E: 1123730

1789Machette, M.N., 1985, Late Cenozoic geology of the Beaver Basin, southwestern Utah, Brigham Young University Geology Studies v. 32, pt. 1, p. 19-37, fig. 2. Scale: 200000

Latitude N: 383000 S: 380850 Longitude W: 1125135 E: 1123000

490Machette, M.N.; Steven, T.A., 1983, Geologic map of the northwest-quarter of the Beaver [Gillies Hill] quadrangle, Beaver County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1445. Scale: 24000

Latitude N: 383000 S: 382230 Longitude W: 1124500 E: 1123730

594Machette, M.N.; Steven, T.A.; Cunningham, C.G.; Anderson, J.J., 1981, Geologic map of the Beaver 15' quadrangle, Beaver County, Utah, U.S. Geological Survey Open-File Report OF 81-951. Scale: 50000

Latitude N: 383000 S: 381500 Longitude W: 1124500 E: 1123000

1035Machette, M.N.; Steven, T.A.; Cunningham, C.G.; Anderson, J.J., 1984, Geologic map of the Beaver [15'] quadrangle, Beaver and Piute Counties, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1520. Scale: 50000

Latitude N: 383000 S: 381500 Longitude W: 1124500 E: 1123000

2554McHugh, J.B.; Miller, W.R.; Ficklin, W.H., 1984, Maps showing distribution of pH, Copper, Zinc, Fluoride, Uranium, Molybdenum, Arsenic, and Sulfate in water, Richfield 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1246-L. Scale: 500000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

2532Miller, W.R.; Motooka, J.M.; Cunningham, C.G.; Steven, T.A.; Rowley, P.D.; Anderson, J.J., 1984, Distribution of anomalous trace elements in the less-than-180-micrometer fraction of stream sediments, shown on a geologic base map of the Tushar Mountains and adjoining areas, Marysvale volcanic field, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1430-G. Scale: 50000

Latitude N: 384230 S: 381500 Longitude W: 1123730 E: 1120000

2533Miller, W.R.; Motooka, J.M.; Cunningham, C.G.; Steven, T.A.; Rowley, P.D.; Anderson, J.J., 1984, Distribution of anomalous trace elements in the magnetic fraction of heavy-mineral concentrates of stream sediments, shown on a geologic base map of the Tushar Mountains and adjoining areas, Marysvale volcanic field, U.S. Geological Survey Miscellaneous Investigations Series Map I-1430-F. Scale: 50000

Latitude N: 384230 S: 381500 Longitude W: 1123730 E: 1120000

2531Miller, W.R.; Motooka, J.M.; Cunningham, C.G.; Steven, T.A.; Rowley, P.D.; Anderson, J.J., 1984, Distribution of anomalous trace elements in the nonmagnetic fraction of heavy-mineral concentrates of stream sediments, shown on a geologic base map of the Tushar Mountains and adjoining areas, Marysvale volcanic field, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1430-E. Scale: 50000

Latitude N: 384230 S: 381500 Longitude W: 1123730 E: 1120000

2545Miller, W.R.; Motooka, J.M.; McHugh, J.B., 1985, Maps showing distribution of Barium in heavy-mineral concentrates, Richfield 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1246-C. Scale: 500000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

Page 8 of 13

Ref#

2546Miller, W.R.; Motooka, J.M.; McHugh, J.B., 1985, Maps showing distribution of Beryllium in heavy-mineral concentrates and stream sediments, Richfield 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1246-D. Scale: 500000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

2547Miller, W.R.; Motooka, J.M.; McHugh, J.B., 1985, Maps showing distribution of Bismuth in heavy-mineral concentrates, Richfield 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1246-E. Scale: 500000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

2548Miller, W.R.; Motooka, J.M.; McHugh, J.B., 1985, Maps showing distribution of Copper in heavy-mineral concentrates, Richfield 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1246-F. Scale: 500000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

2549Miller, W.R.; Motooka, J.M.; McHugh, J.B., 1985, Maps showing distribution of Lead in heavy-mineral concentrates, Richfield 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1246-G. Scale: 500000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

2550Miller, W.R.; Motooka, J.M.; McHugh, J.B., 1985, Maps showing distribution of Thorium in heavy-mineral concentrates, Richfield 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1246-H. Scale: 500000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

2551Miller, W.R.; Motooka, J.M.; McHugh, J.B., 1985, Maps showing distribution of Tin in heavy-mineral concentrates, Richfield 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1246-I. Scale: 500000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

2552Miller, W.R.; Motooka, J.M.; McHugh, J.B., 1985, Maps showing distribution of Tungsten in heavy-mineral concentrates, Richfield 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1246-J. Scale: 500000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

2553Miller, W.R.; Motooka, J.M.; McHugh, J.B., 1985, Maps showing distribution of Zinc in heavy-mineral concentrates, Richfield 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1246-K. Scale: 500000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

2543Miller, W.R.; Motooka, J.M.; McHugh, J.B., 1988, Maps showing distribution of Arsenic in heavy-mineral concentrates, Richfield 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1246-B. Scale: 500000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

1314Molloy, M.W.; Kerr, P.F., 1962, Tushar uranium area, Marysvale, Utah [geologic map of the Beaver Creek area west of Marysvale, Utah], Geological Society of America Bulletin v. 73, p. 211-236, pl. 1. Scale: 62500

Latitude N: 383000 S: 382400 Longitude W: 1122330 E: 1121600

Ref#

1756Nielson, D.L.; Evans, S.H., Jr.; Sibbett, B.S., 1986, Magmatic, structural and hydrothermal evolution of the Mineral Mountains intrusive complex, Utah, Geological Society of America Bulletin v. 97, p. 765-777, fig. 4.
Scale: 58000

Latitude N: 382100 S: 381800 Longitude W: 1125700 E: 1124900

1757Nielson, D.L.; Evans, S.H., Jr.; Sibbett, B.S., 1986, Magmatic, structural and hydrothermal evolution of the Mineral Mountains intrusive complex, Utah, Geological Society of America Bulletin v. 97, p. 765-777, fig. 5.
Scale: 60000

Latitude N: 383200 S: 382530 Longitude W: 1125415 E: 1124645

1755Nielson, D.L.; Evans, S.H., Jr.; Sibbett, B.S., 1986, Magmatic, structural, and hydrothermal evolution of the Mineral Mountains intrusive complex, Utah, Geological Society of America Bulletin v. 97, p. 765-777, fig. 2.
Scale: 160000

Latitude N: 383815 S: 381730 Longitude W: 1125930 E: 1124300

2129Nielson, D.L.; Sibbett, B.S.; McKinney, D.B.; Samberg, S.M., 1978, Geology of Roosevelt Hot Springs KGRA, Beaver County, Utah, Salt Lake City, University of Utah Research Institute Earth Science Laboratory Publication 12, 120 p., pl. 1. Scale: 24000

Latitude N: 383750 S: 382345 Longitude W: 1125605 E: 1124710

945Nuelle, L.M., 1979, Geology and mineralization, Ohio and Mt. Baldy districts, Marysvale, Piute County, Utah, Rolla, University of Missouri M.S. thesis . Scale: 12000

Latitude N: 382400 S: 382200 Longitude W: 1122130 E: 1121800

765Parker, R.L., 1954, Alunitic alteration at Marysvale, Utah, New York, New York, Columbia University Ph.D. dissertation 116 p., fig. 2. Scale: 62500

Latitude N: 383300 S: 382215 Longitude W: 1122100 E: 1120800

816Petersen, C.A., 1975, Geology and geothermal potential of the Roosevelt Hot Springs area, Beaver County, Utah, Salt Lake City, University of Utah M.S. thesis 50 p.. Scale: 24000

Latitude N: 383200 S: 382400 Longitude W: 1125800 E: 1124800

1108Petersen, C.A., 1975, Geology of the Roosevelt Hot Springs area, Beaver County, Utah, Utah Geological and Mineral Survey Utah Geology v. 2, no. 2, p. 109-116, pl. 1. Scale: 24000

Latitude N: 383200 S: 382400 Longitude W: 1125800 E: 1124800

2538Podwysocki, M.H.; Segal, D.B., 1985, Landsat image map showing the distribution of Limonitic rocks, Richfield 1x2 degree quadrangle, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1574. Scale: 250000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

698Rowley, P.D., 1968, Geology of the southern Sevier Plateau, Utah, Austin, University of Texas Ph.D. dissertation 340 p.. Scale: 63360

Latitude N: 380845 S: 380000 Longitude W: 1121500 E: 1120000

447Rowley, P.D., 1979, Geologic map of the Marysvale SE [Malmsten Peak] quadrangle, Piute County, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1115. Scale: 24000

Latitude N: 382200 S: 381500 Longitude W: 1120730 E: 1120000

448Rowley, P.D.; Cunningham, C.G.; Anderson, J.J.; Steven, T.A., 1979, Geologic map of the Marysvale SW [Piute Reservoir] quadrangle, Piute County, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1116. Scale: 24000

Latitude N: 382230 S: 381500 Longitude W: 1121500 E: 1120730

Ref#

1396Rowley, P.D.; Cunningham, C.G.; Steven, T.A.; Mehnert, H.H.; Naeser, C.W., 1985, Geologic map of the Marysvale quadrangle, Piute County, Utah, Utah Geological and Mineral Survey Open-File Report 79, 56 p.. Scale: 24000

Latitude N: 383000 S: 382230 Longitude W: 1121500 E: 1120730

1465Rowley, P.D.; Cunningham, C.G.; Steven, T.A.; Mehnert, H.H.; Naeser, C.W., 1988, Geology map of the Marysvale quadrangle, Piute County, Utah, Utah Geological and Mineral Survey Map 105, 15 p.. Scale: 24000

Latitude N: 383000 S: 382230 Longitude W: 1121500 E: 1120730

435Rowley, P.D.; Williams, P.L.; Anderson, J.J.; Kaplan, A.M., 1981, Geologic map of the Marysvale NE [Marysvale Peak] quadrangle, Piute County, Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1329. Scale: 24000

Latitude N: 383000 S: 382230 Longitude W: 1120730 E: 1120000

883Roxolo, K.S., 1980, Uranium geochemistry of the Roosevelt Hot Springs thermal area, Utah, Salt Lake City, University of Utah M.S. thesis 62 p., fig. 1. Scale: 43700

Latitude N: 383100 S: 382830 Longitude W: 1125300 E: 1124930

2539Schutter, T.A.; Duval, J.S.; Campbell, D.L.; Pitkin, J.A.; Steven, T.A. Cunningham, C.G., 1989, Gamma-ray composit-color maps of the Tushar Mountains and adjoining areas, Marysvale volcanic field, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1430-H. Scale: 100000

Latitude N: 384000 S: 381500 Longitude W: 1123730 E: 1120000

1165Sibbett, B.S.; Nielson, D.L., 1980, Geology of the central Mineral Mountains, Beaver County, Utah, Salt Lake City, University of Utah Research Institute Earth Science Laboratory ESL-33, 42 p., pl. 1 [two parts]. Scale: 24000

Latitude N: 383630 S: 381900 Longitude W: 1125600 E: 1124345

960Sigmund, J.M., 1979, Geology of a Miocene rhyodacite lava flow, southern Tushar Mountains, Utah, Kent, Ohio, Kent State University M.S. thesis 35 p.. Scale: 24000

Latitude N: 381800 S: 381500 Longitude W: 1123000 E: 1122500

1848Steven, T.A.; Cunningham, C.G.; Anderson, J.J., 1984, Geologic history and uranium potential of the Big John caldera, southern Tushar Mountains, Utah, U.S. Geological Survey Professional Paper 1299-B, 33 p., fig 11. Scale: 130000

Latitude N: 382320 S: 381235 Longitude W: 1123000 E: 1122110

1055Steven, T.A.; Morris, H.T., 1983, Geology of the Richfield [1ø x 2ø] quadrangle, west-central Utah, U.S. Geological Survey Open-File Report OF 83-583, 23 p.. Scale: 250000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

1952Steven, T.A.; Morris, H.T.; Rowley, P.D., 1990, Geologic map of the Richfield 1ø x 2ø quadrangle, west central Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1901. Scale: 250000

Latitude N: 390000 S: 380000 Longitude W: 1140000 E: 1120000

2560Stover, C.W.; Reagor, B.G.; Algermissen, S.T., 1986, Seismicity map of the state of Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1856. Scale: 1000000
Latitude N: 420000 S: 370000 Longitude W: 1140300 E: 1090300

1763Stugard, Frederick, Jr.; Wyant, D.G., 1951, Indian Creek uranium prospects, Beaver County, Utah, U.S. Geological Survey Open-File Report OF 51-24, fig. 2. Scale: 1200

Latitude N: 382558 S: 382546 Longitude W: 1123228 E: 1123215

Ref#

873Thomas, H.E., 1947, Geology of Cedar City and Parowan Valleys, Iron County, Utah, Chicago, Illinois, University of Chicago Ph.D. dissertation . Scale: 63360

Latitude N: 380330 S: 373130 Longitude W: 1131500 E: 1123900

1425Thomas, H.E.; Taylor, G.H., 1946, Geology and ground-water resources of Cedar City and Parowan Valleys, Iron County, Utah, U.S. Geological Survey Water-Supply Paper W-993, 210 p. Scale: 63360

Latitude N: 380330 S: 373130 Longitude W: 1131500 E: 1123900

727Threet, R.L., 1952, Geology of the Red Hills area, Iron County, Utah, Seattle, University of Washington Ph.D. dissertation 107 p.. Scale: 62500

Latitude N: 380200 S: 374600 Longitude W: 1130200 E: 1124830

1709Threet, R.L., 1963, in Heylman, E.B., editor, Guidebook to the geology of southwestern Utah--transition between Basin-Range and Colorado Plateau provinces Geologic map of the Parowan Gap area (Red Hills area), Iron County, Utah, Intermountain Association of Petroleum Geologists Guidebook, Twelfth Annual Field Conference p. 136-145, fig. 1. Scale: 100000

Latitude N: 380500 S: 374500 Longitude W: 1130500 E: 1124800

1319Ward, S.H.; Parry, W.T.; Nash, W.P., 1978, A summary of the geology, geochemistry, and geophysics of the Roosevelt Hot Springs thermal area, Utah, Geophysical v. 43, p. 1515-1542, fig. 2. Scale: 181000

Latitude N: 382730 S: 382230 Longitude W: 1125500 E: 1124500

796Wessel, G.R., 1977, Geology of the Big Pass tungsten mine, Beaver County, Utah, Rolla, University of Missouri M.S. thesis . Scale: 1200

Latitude N: 382130 S: 381800 Longitude W: 1125000 E: 1124830

1743Willard, M.E., 1945, Manning Creek alunite deposit, Marysvale, Utah, U.S. Geological Survey Preliminary Strategic Investigations Map 3-192. Scale: 4800

Latitude N: 382540 S: 382535 Longitude W: 1120550 E: 1120545

59Willard, M.E.; Callaghan, Eugene, 1962, Geology of the Marysvale quadrangle, Utah, U.S. Geological Survey Geologic Quadrangle Map GQ-154. Scale: 62500

Latitude N: 383000 S: 381500 Longitude W: 1121500 E: 1120000

1266Willard, M.E.; Proctor, P.D., 1946, White Horse alunite deposit, Marysvale, Utah, Economic Geology v. 41, p. 619-643, fig. 4. Scale: 8000

Latitude N: 382900 S: 382730 Longitude W: 1121130 E: 1121100

1019Woolard, L.E., 1955, Late Tertiary rhyolitic eruptions and uranium mineralization, Marysvale, Utah, New York, Columbia University Ph.D dissertation 201 p.. Scale: 12000

Latitude N: 383300 S: 382700 Longitude W: 1121700 E: 1120900

1771Woolard, L.E.; Kerr, P.F., 1952, Preliminary memorandum on the Beaver Creek area, Marysvale, U.S. Atomic Energy Commission RMO 885, 15 p.. fig. 1. Scale: 40000

Latitude N: 383045 S: 382700 Longitude W: 1121700 E: 1121350

1766Woolard, L.E.; Kerr, P.F., 1951, Preliminary memorandum on the Dark Horse and Saturday areas, Marysvale, Utah, U.S. Atomic Energy Commission RMO 860, pt. 1. Scale: 5400

Latitude N: 382855 S: 382745 Longitude W: 1121315 E: 1121230

1770Woolard, L.E.; Kerr, P.F., 1952, Preliminary memorandum on the Beaver Creek area, Marysvale, U.S. Atomic Energy Commission RMO 885, 15 p.. Scale: 4800

Latitude N: 382820 S: 382745 Longitude W: 1121445 E: 1121420